File #			
Encompass	#		



City of Gilroy

COMMUNITY DEVELOPMENT DEPARTMENT
PLANNING DIVISION
7351 Rosanna Street, Gilroy CA 95020
(408) 846-0451 (408) 846-0429 (fax)
www.cityofgilroy.org

Protected Tree Removal Permit Application

A permit is required for the removal of a tree 38 inches in circumference or larger which is one of the following species; all species of Oaks, California Bay, Big Leaf Maple, Madrone, California Sycamore, California Buckeye and Alder. In addition, any type of tree 90 inches in circumference or larger also requires a tree removal permit. Please refer to the Protected Tree Removal Permit Application Instructions.

1.	Property Owner Information			
	Property Address			
	Property Owner Name			
	Property Owner Signature		Date	
	Property Owner Phone NoE-mail			
2.	Applicant Information (If different from	n property owner)		
	Applicant Name			
	Applicant Address			
	Applicant SignatureDate			
	Applicant Phone Number:E-mail			
3.	Tree Removal Request			
	Species of Tree(s) (see definition of "Protected Tree" on page 1 of Application Instructions)	Size of Tree(s) (measured 4'-6" above grade)	Reason for Removal (Provide explanation in Section 4, below)	

4	Justification	for Troo	Damaya
4	HUSTITICATION	TOT ITEE	Removal

In order to approve an application for tree removal, the following findings must be made:

- A. At least one of the following findings must be made:
 - i. The tree is dead, diseased or in danger of falling
 - ii. The tree is determined to be an immediate threat to life or property
 - iii. The tree is determined to be causing damage or reasonably expected to cause damage to existing buildings or interfere with utility services
 - iv. The retention of the tree restricts the economic enjoyment of the property or creates an unusual hardship for the property owner by severely limiting the use of the property in a manner not typically experienced by owners of similarly situated properties, and the applicant has demonstrated to the satisfaction of the Community Development Director that there are no reasonable alternatives to preserve the tree.
 - v. Retention of the tree would result in reduction of the permissible building envelope by more than twenty-five (25) percent, and
- B. None of the following tree management techniques are deemed feasible to save the tree:
 - i. Risk Management Pruning
 - ii. Installation of a structural support system
 - iii. Improving site and/or cultural conditions
 - iv. Implementing integrated pest management

State which of the findings shown in 3. A. and B. apply to your proposed request and provide information to support those findings. Provide information to explain why none of the techniques listed in Section 3. B., above are deemed feasible to save the tree. Include photographs.					

	OWI	NER CERTIFICATION
including but not limite additional discretionary checklist items. I unde missing or incomplete	d to number of units, stor permits, I understand the rstand that my application information as required. I	owner for this planning permit, do hereby state that I have provided the have been submitted following the instructions provided by Planning his permit. If, at my request, this application is significantly amended ies, height, setbacks, site circulation, site plan layout, or the need for his will require submission of a new application, including fees and may be rejected (within 30 days of submittal or resubmittal) due to also understand that additional fees and subsequent information may request as determined by planning staff pursuant to State Government
Signature		Date
	<u>PLANNI</u>	NG DIVISION USE ONLY
Date Filed:	Fees:	By:
Notes/Comments		