



City of Gilroy

Public Works Department
7351 Rosanna St., Gilroy, CA 95020
Phone (408) 846-0450; Fax (408) 846-0429

DATE: Friday, 9/4/2020
TO: Planholders of FY21 Citywide Pavement Maintenance
Project No. 21-PW-260
FROM: Nirorn Than, Engineer II, City of Gilroy
SUBJECT: Addendum No. 1 – Response to Questions and Comments

All prospective bidders are hereby notified that modification and/or changes are to be made to the original Request for Proposal for this project, as entitled above.

Receipt of this Addendum must be acknowledged in the space provided in Section 00300 of the bid document. Initial indicates acknowledgement of receipt of Addendum No. 1, and that said Addendum was properly evaluated in bidder's proposal. Any proposal not in compliance with this requirement may be rejected.

The updates to the Request for Proposal for the above referenced project are as follows:

RESPONSES TO QUESTIONS AND COMMENTS

The following responses to comments and questions below are being distributed for clarification purposes:

1. Bid item 24 in the bid schedule (Base Bid) is missing a unit of measure.
 - a. Bid item 24 in the bid schedule (Base Bid) shall be measured and paid for on a Linear Feet (LF) basis. See the attached revised bid schedule.
2. You have a table of the total amount of 4 in. dig outs but we cannot tell the size or dimensions of them. Can you provide minimum widths and lengths?
 - a. The minimum width of 4 in. dig outs is 6 feet. The length can varies.
3. 50 handicap replacement and no plan of where they are, if they require retaining curb, if there are electrical boxes, etc.. Can you provide some information to clarify what we are doing?
 - a. The location of the 50 EA PCC curb ramps and truncated domes are shown in Drawing No. VM-4, and VM-5. The unit price paid per each shall include full compensation for furnishing all labor, materials, tools, equipment, transport,

protection and incidentals for construction of ramps, including saw cutting and demolition and removals, removal of tree roots at City Arborist direction and approval to a minimum depth of up to 12", canopy trimming at City Arborist request and direction, protection of structures and substructures, forms and rebar, 6" of aggregate base; preparation, placing and finishing concrete; expansion joints, score marks, curing compounds, truncated domes, variable height curb and gutter, asphalt concrete repair, and stripping of forms, complete and in place. The ramp shall include the portion of the new curb, gutters, ramp curbs, retaining curbs, and sidewalk that are an integral part of the access ramp limits, complete and in-place. Curb ramp shall be per Caltrans Standard Detail A88A with 6" of aggregate base.

4. What is the engineer estimate?
 - a. The engineer estimate for the Base Bid is \$3,100,000 and the engineer estimate for Bid Alternate is \$570,000.
5. What are the allowable work hours for Farrel Ave.?
 - a. See attached revised work hours schedule.
6. What does the specification below apply to, we have bid items for: 4 in grind and replace AC (digouts), a 2 in cold mill with a 2 in AC overlay, and an alternate with 6 in grind and replace AC. The Spec. below adds up to 4.5 in., and there is no item for fabric. Can you please clarify?

Add to section 39-1.11

Overlay shall consist of a 2" leveling course, paving fabric, and a 2.5" surface course.

- a. Under the Technical Specification Section 39 Paragraph 8 "Add to section 39-1.11: Overlay shall consist of a 2" leveling course, paving fabric, and a 2.5" surface course.", this language shall be replaced with the following "Add to section 39-1.11: Overlay shall consist of 2" surface course HMA Type A with 1/2 inch maximum grading."
7. There is no bid item for *Water Pollution Control – lump sum*.
 - a. Under the Technical Specification Section 13-4.04, Water Pollution Control includes full compensation for furnishing all labor, materials, tools, equipment, and incidentals and for doing all the work involved in spill prevention and control, material management, inlet protection, waste management, stormwater and non-stormwater management, and dewatering activities, including identifying, sampling, testing, handling, and disposing of hazardous waste resulting from your activities, as shown, and as specified in the Standard Specifications. Payment for compliance with this section will be made under: Bid item 34 and 34A *SWPPP Implementation and site management*
8. Bid item No. 29 Pavement Markings (White Thermoplastic), shall be increased from 12,100 SF to 13,200 SF. See attached revised bid schedule.

9. Lowest responsible bidder will be selected based on the Base Bid Total.

Please note that the proposal due date remains the same, at 2:00 PM Tuesday, September 15th, 2020.

The City looks forward to receiving your proposal.

Sincerely,

Niorn Than, PE

**ATTACHMENT A
SECTION 00310
BID SCHEDULE**

**SECTION 00310
BID SCHEDULE**

PROPOSAL FOR THE CONSTRUCTION OF FY21 CITYWIDE PAVEMENT MAINTENANCE PROJECT, PROJECT NO. 21-PW-260

City of Gilroy

Pursuant to Section 00020, **INVITATION TO BID**, the undersigned hereby proposes and agrees that on award by the **City of Gilroy** under this Bid, and in accordance with the provisions therein stated, to execute a Contract, with necessary bonds, to furnish and install any and all labor, materials, transportation, and services for the construction of the **FY21 Citywide Pavement Maintenance Project** in accordance with the Plans and Specifications therefor adopted and on file with the **City of Gilroy** within the time hereinafter set forth and at the prices named in this Bid as follows:

Base Bid

Item No.	Description	Quantity	Unit	R-F-S*	Unit Price	Total
1	Mobilization	1	LS	F		
2	Traffic Control	1	LS	F		
3	4" Grind & Replace AC Pavement	114,000	SF			
4	2" Coldmill AC Pavement	10,600	SY			
5	2" AC Pavement HMA Overlay	140	TON			
6	Portland Cement Concrete Curb & Gutter Remove & Replace	320	LF			
7	Portland Cement Concrete Driveway Remove & Replace	210	SF			
8	Portland Cement Concrete sidewalk Remove & Replace	600	SF			
9	Lower / Raise Manholes/Utilities	14	EA			
10	Repair Manholes	10	EA			
11	PCC Access Ramps with Truncated Domes	50	EA			
12	Crack Seal	1,365,600	SF			
13	Type II Micro-Surface	415,400	SF			

14	Cape Seal	105,600	SY			
15	Micro-Milling	14,800	SY	R		
16	Remove Existing Thermoplastic Striping / Markers/ Temporary Striping	1	LS	F		
17	Caltrans Striping Detail 9 (Thermoplastic)	21,300	LF			
18	Caltrans Striping Detail 22 (Thermoplastic)	8,270	LF			
19	Caltrans Striping Detail 24 (Thermoplastic)	270	LF			
20	Caltrans Striping Detail 25 (Thermoplastic)	9,700	LF			
21	Caltrans Striping Detail 27B (Thermoplastic)	5,600	LF			
22	Caltrans Striping Detail 29 (Thermoplastic)	1,500	LF			
23	Caltrans Striping Detail 32 (Thermoplastic)	12,300	LF			
24	Caltrans Striping Detail 37B (Thermoplastic)	300	LF			
25	Caltrans Striping Detail 38 (Thermoplastic)	7,500	LF			
26	Caltrans Striping Detail 39 (Thermoplastic)	54,400	LF			
27	Caltrans Striping Detail 39A (Thermoplastic)	6,000	LF			
28	Triple-4 Crosswalk	23	EA			
29	Pavement Markings (White Thermoplastic)	13,200	SF			
30	Pavement Markings (Yellow Thermoplastic)	120	SF			
31	Blue FH Pavement Markers	1	LS	F		
32	COVID-19 Safety Plan and Program	1	LS	R		
33	Storm Water Pollution Prevention Plan (SWPPP)	1	LS	F		
34	SWPPP Implementation and site management	1	LS	F		

35	Lead Compliance Plan and Implementation	1	LS	F		
36	Caltrans Double Permit	1	LS	F		
TOTAL: Items 1 thru 36 inclusive and all work incidental thereto and connected therewith						

Bid Alternate No. 1 (San Ysidro Ave.)

Ite m No.	Description	Quantity	Unit	R-F-S*	Unit Price	Total
1A	Mobilization	1	LS	R		
2A	Traffic Control	1	LS	R		
3A	6" Grind & Replace AC Pavement	49,000	SF	R		
16A	Remove Existing Thermoplastic Striping / Markers/ Temporary Striping	1	LS	R		
18A	Caltrans Striping Detail 22 (Thermoplastic)	1,500	LF	R		
29A	Pavement Markings (Thermoplastic)	50	SF	R		
31A	Blue FH Pavement Markers	1	LS	R		
32A	COVID-19 Safety Plan and Program	1	LS	R		
33A	Storm Water Pollution Prevention Plan (SWPPP)	1	LS	R		
34A	SWPPP Implementation and site management	1	LS	R		
35A	Lead Compliance Plan and Implementation	1	LS	F		
TOTAL: Items 1A thru 35A inclusive and all work incidental thereto and connected therewith						

TOTAL: Base Bid + Bid Alternate No.1

TOTAL IN WORDS:

Bid amount of each of the above bid items must be filled in and completed. Work shown on the plans or included in the specifications, but not specifically mentioned in the above items of work shall be included in the bid and spread uniformly throughout the above items.

Lowest responsible bidder will be selected based on the Base Bid Total.

Name of Bidder

*****END OF SECTION*****

**ATTACHMENT B
APPENDIX C
SEGMENT SPECIFIC WORK HOURS**

#	Street Name	From	To	Direction	Shift Hours	Permitted Hours		Day	Work Shift	Comments
						From	To			
1	Murray Ave	Leavesley Rd.	IOOF Ave.	NB		8:00-00 AM	5:00-00 PM	M-F	Day	One lane closure, Provide a minimum of one travel lane per each direction of travel
2	Murray Ave	Leavesley Rd.	IOOF Ave.	SB		6:00-00 AM	2:00-00 PM	M-F	Day	One lane closure, Provide a minimum of one travel lane per each direction of travel
3	Monterey Rd.	Day Rd.	Leavesley Rd.	NB		9:00-00 AM	5:00-00 PM	M-F	Day	One lane closure, Provide a minimum of one travel lane per each direction of travel
4	Monterey Rd.	Day Rd.	Leavesley Rd.	SB		7:00-00 AM	2:00-00 PM	M-F	Day	One lane closure, Provide a minimum of one travel lane per each direction of travel
5	Monterey Rd.	Day Rd.	Leavesley Rd.	NB		7:00-00 PM	4:00-00 AM	S-Th	Night	One lane closure, Provide a minimum of one travel lane per each direction of travel
6	Monterey Rd.	Day Rd.	Leavesley Rd.	SB		9:00-00 PM	6:00-00 AM	S-Th	Night	One lane closure, Provide a minimum of one travel lane per each direction of travel
7	Martin St.	Chestnut St.	Railroad St.	EB		7:00-00 AM	5:00-00 PM	M-F	Day	One lane closure, Provide a minimum of one travel lane per each direction of travel
8	Martin St.	Chestnut St.	Railroad St.	WB		7:00-00 AM	5:00-00 PM	M-F	Day	One lane closure, Provide a minimum of one travel lane per each direction of travel
9	Chestnut St.	Lewis St.	10th St.	NB		7:00-00 AM	5:00-00 PM	M-F	Day	One lane closure, Provide a minimum of one travel lane per each direction of travel
10	Chestnut St.	Lewis St.	10th St.	SB		7:00-00 AM	5:00-00 PM	M-F	Day	One lane closure, Provide a minimum of one travel lane per each direction of travel
11	San Ysidro Ave.	Las Animas Ave.	South Project Limit	NB		7:00-00 PM	6:00-00 AM	S-Th	Night	One lane closure, Provide flaggers
12	San Ysidro Ave.	Las Animas Ave.	South Project Limit	SB		7:00-00 PM	6:00-00 AM	S-Th	Night	One lane closure, Provide flaggers
13	Camino Arroyo	6th St.	Hwy 152	NB		9:00-00 PM	6:00-00 AM	S-Th	Night	One lane closure, Provide a minimum of one travel lane per each direction of travel
14	Camino Arroyo	6th St.	Hwy 152	SB		9:00-00 PM	6:00-00 AM	S-Th	Night	One lane closure, Provide a minimum of one travel lane per each direction of travel
15	Camino Arroyo	Hwy 152	Holloway Rd.	NB		8:00-00 PM	6:00-00 AM	S-Th	Night	One lane closure, Provide a minimum of one travel lane per each direction of travel
16	Camino Arroyo	Hwy 152	Holloway Rd.	SB		8:00-00 PM	6:00-00 AM	S-Th	Night	One lane closure, Provide a minimum of one travel lane per each direction of travel
17	Camino Arroyo	6th St.	Hwy 152	NB		7:00-00 AM	5:00-00 PM	M-F	Day	Shoulder closure, No lane closure is allowed
18	Camino Arroyo	6th St.	Hwy 152	SB		7:00-00 AM	5:00-00 PM	M-F	Day	Shoulder closure, No lane closure is allowed
19	Camino Arroyo	Hwy 152	Holloway Rd.	NB		7:00-00 AM	5:00-00 PM	M-F	Day	Shoulder closure, No lane closure is allowed
20	Camino Arroyo	Hwy 152	Holloway Rd.	SB		7:00-00 AM	5:00-00 PM	M-F	Day	Shoulder closure, No lane closure is allowed
21	8th St.	Church St.	Princevalle Ave.	EB		7:00-00 AM	5:00-00 PM	M-F	Day	One lane closure, Provide a minimum of one travel lane per each direction of travel
22	8th St.	Church St.	Princevalle Ave.	WB		7:00-00 AM	5:00-00 PM	M-F	Day	One lane closure, Provide a minimum of one travel lane per each direction of travel
23	Farrell Ave.	Monterey Rd.	Wren Ave.	EB		7:00-00 AM	5:00-00 PM	M-F	Day	One lane closure, Provide a minimum of one travel lane per each direction of travel
24	Farrell Ave.	Monterey Rd.	Wren Ave.	EB		7:00-00 AM	5:00-00 PM	M-F	Day	One lane closure, Provide a minimum of one travel lane per each direction of travel

All work shifts and hours are subject to approval by the Engineer prior to the start of work.
Contractor shall not combine the work shift (Day and Night) for the same segment within a 24 hour period (i.e. for item 4, contractor may not select a work hour of 5:00 AM to 1:00 PM)